


AUSPUFF-HITZESCHUTZ




Exhaust heat shield | protección contra el calor del escape | protecteur thermique pour pot d'échappement | protettore termico per scarico

Art.-Nr: 26920-102





LEGENDE/KEY

-  Anbau Tip
Fitting tip
-  Achtung
Attention
-  Vergrößerung
Magnification
-  Montagepaste
Fitting lubricant

-  Schraube
Screw
-  Schraubensicherung
Thread locking fluid
-  Drehmoment
Torque

#	BEZEICHNUNG / DESCRIPTION	DIN	ISO	MENGE AMOUNT
1	Auspuff-Hitzeschutz / Exhaust heat shield			1
2	Moosgummi / foam rubber			6cm





original
BMW
19Nm

original
BMW
28Nm



BMW		Tabelle der Drehmomente	
Bitte beachten: Die Drehmomente sind Richtwerte. Bei besonderen Umständen sind höhere Drehmomente zulässig. Die Drehmomente sind für die Montage der Bauteile zu verwenden.			
Einbauort			
Drehmoment		Drehmoment	
•	22/30	•	25/30
•	25/30	•	29/42
•	25/30	•	29/42
•	25/30	•	29/42
Drehmoment bei Montage			
Nur für die Montage der Bauteile zu verwenden.			
Nur für die Montage der Bauteile zu verwenden.			
Nur für die Montage der Bauteile zu verwenden.			